

NEWS FROM DELAWARE'S OFFICE OF ENVIRONMENTAL PROTECTION, 07/19/11

The bimonthly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances & Water public meetings, workshops, hearings, and regulatory documents available for public comment, as well as news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality & Waste and Hazardous Substances:

<http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx>. There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Tracy Sargent at (302) 739-9400, or send an email to tracy.sargent@state.de.us

Published by DNREC Divisions of Air Quality, Waste and Hazardous Substances & Water - Web Site: www.awm.delaware.gov

UPCOMING AIR, WASTE & WATER-RELATED HEARINGS, MEETINGS & EVENTS:

PUBLIC MEETING – The Recycling Public Advisory Council (RPAC) will hold their monthly meeting to discuss recycling matters in the State of Delaware and implementation of the Universal Recycling Law on July 27, 2011 from 1:30pm – 3:30pm at the DNREC Lewes Facility at 901 Pilottown Road, Lewes – 19958. For additional information, please contact Shannon Splittorff at (302) 739-9403 or visit:

<http://calendar.delaware.gov/eGov/Calendar.nsf/Meetings/316B6403E5FFF4D5852578D1006BE4B9?open>

LEGAL NOTICE PUBLIC HEARING – The Division of Air Quality (DAQ) will conduct a public hearing on a proposed amendment to Regulation 1138, Emission Standards for Hazardous Air Pollutants for Source Categories. In 2001, Delaware adopted by reference the federal Maximum Achievable Control Technology (MACT) standard applicable to halogenated solvent cleaning operations (40 CFR Part 63 Subpart T) as Section 8.0 of Regulation 1138. Since that initial adoption, the EPA has revised this federal MACT standard several times. The most significant of these revisions was the adoption of facility-wide 12-month rolling total halogenated solvent emission limits (72 FR 25138, May 3, 2007). This more stringent requirement was incorporated into the federal MACT standard after the EPA determined that following the full implementation of the MACT requirements, the original MACT requirements did not protect the public's health with an ample margin of safety, as required under the Clean Air Act. Delaware is proposing to amend Section 8.0 of Regulation 1138 by adding the facility-wide emission limits and their associated monitoring, recordkeeping and reporting requirements that the EPA promulgated on May 3, 2007. The public hearing on this proposed amendment to Section 8.0 of Regulation 1138 will be held on Wednesday, August 24, 2011, beginning at 6:00PM in the DNREC's Richardson and Robbins Auditorium, 89 Kings Highway, Dover, DE. For additional information please contact Jim Snead at (302) 323-4542 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1164&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL:

PUBLIC NOTICE - PERMITS PENDING & REVOCATION OF WASTE

TRANSPORTER PERMITS – The Solid Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware:

A-1 Waste Services, Inc.; Active Environmental Technologies, Inc.; American Demolition Corporation; Care Environmental Corporation; D. Sabatelli, Inc.; Delaware Sanitation, Inc.; Dupre Logistics, LLC; Econo-Haul, Inc.; Jack Robinson Waste Disposal Service, Inc.; MARCOR Environmental, LP; Mike Miklus III, Inc.; SJ Transportation Company, Inc.

A public hearing concerning these applications will NOT be held unless the Secretary of DNREC receives a meritorious request for a hearing by July 21, 2011. For additional information, please contact Ken Green at (302) 739-9403 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1152&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Double J Construction Services, LLC; Frank's Vacuum Truck Service; Harmony Trucking, Inc.; LA Robinson Trucking, LLC; New Castle County Department of Special Services; Phoenix Mobile Homes, Inc.; Pine Acres Inc. t/a Leisure Point; Safety-Kleen Systems, Inc.; TAT Trucking, Inc.; Vision Transport, Inc.; Waste Management of Georgetown.

A public hearing concerning these applications will NOT be held unless the Secretary of DNREC receives a meritorious request for a hearing by July 28, 2011. For additional information, please contact Ken Green at (302) 739-9403 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1161&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

WASTEWATER FACILITIES CONSTRUCTION PERMIT APPLICATIONS - The following have submitted applications:

The New Castle County Department of Special Services and Delaware Hospice, Inc., to construct eight inch (8") PVC and DIP gravity sewers; manholes; laterals and clean-outs; one (1) grinder pump station with dual pumps; one and one-half inch (1.5") force main; and related appurtenances to service the proposed 83,860 square foot, 24-bed in-patient hospice facility, to be located on the west side of Polly Drummond Hill Road (Road 328), the south side of Fox Den Road (Road 325), at the intersection of New Linden Hill Road (Road 321), Newark.

The New Castle County Department of Special Services, Toll Brothers, Inc., and Linden Hill Farm, LP, to construct eight inch (8") PVC and DIP gravity sewers; manholes; laterals and clean-outs; one (1) centrifugal pump station with dual pumps; six inch (6") force main; and related appurtenances to service the proposed Highpointe at St. Georges residential subdivision, to be located along Dupont Highway (U.S Route 13, Road 34) and Kirkwood-Saint Georges Road (Road 409), St. Georges.

A public hearing concerning the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received July 28, 2011. For additional information, please contact Molly Mackil at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1158&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

The New Castle County Department of Special Services and Appoquinimink School District to construct eight inch (8") and ten inch (10") PVC and DIP gravity sewers; manholes; laterals and clean-outs; one (1) submersible grinder pump station with dual pumps; and one and one-half inch (1.5") force main and related appurtenances to service part of the Odessa Campus which, at full build-out, includes an Early Childhood Center, Elementary, Middle and High Schools, Natatorium, Environmental and Performing Arts Centers, Field House and related

structures, to be located at 401 Old State Road (Road 441), between U.S. Route 13 (Road 1) and DE State Route 299, south of Odessa. A public hearing concerning the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received by August 4, 2011. For additional information, please contact Molly Mackil at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1169&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE – The following have submitted applications:

WELL PERMITS

Adam Dickerson needs to construct an irrigation well. The well is to be 100' deep and 12 inches in diameter. The site is located on the north side of Shockely Road and west of Ellis Grove road. The well is 6 miles west of Laurel. The desired capacity of this well is 800 gpm.

FORMAL VARIANCE

Timothy S. Johnson representing The Woods Edge Park, LLC has applied for a Formal Variance under Section 11.00 of The Regulations Governing the Construction and use of Wells to construct a public well to serve the Woods Edge Mobile Home Park. The property is located on the south east side of RT 24 John Williams Highway, Lewes on tax map parcel 2-34.00-7.00-119.00.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by August 2, 2011. For additional information, please contact Patty Murray at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1167&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

SURFACE WATER DISCHARGES SECTION - NPDES PERMITS – The Division of Water hereby gives notice that The Board of Public Works of the City of Lewes has applied for re-issuance of its National Pollutant Discharge Elimination System permit ("NPDES" Permit No. DE 0021512 and State Number WPCC 3075G/74) to discharge treated wastewater to the Lewes segment of the Lewes-Rehoboth Canal from their sanitary wastewater treatment facilities located on American Legion Road in Lewes. On the basis of a preliminary staff review and application of lawful standards and regulations, the Department proposes to re-issue the referenced permit, subject to certain effluent limitations and conditions. A public hearing on the above will NOT be held unless the Secretary of DNREC receives a request by August 19, 2011. For additional information, please contact Anthony Hummel at (302) 739-9946 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1170&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE UNDERGROUND INJECTION CONTROL PERMIT - Wilson Baker, Inc., has applied to the Ground Water Discharges Section for an Underground Injection Control (UIC) permit to operate twenty-five (25) injection points for the injection of KlozurTM (sodium persulfate), iron (III) sodium salt, diluted hydrogen peroxide mixed with air, and the injection of ozone mixed with air, to remediate the contaminated soil and groundwater. The site is located at 105 Front Street, Milton (former Wright's Exxon). A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public

interest or if a written meritorious objection to the application is received by August 16, 2011. For additional information, please contact Jennifer Owens at (302) 739-9948 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1173&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

BROWNFIELDS DEVELOPMENT PROGRAM – The Division's Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties which may be contaminated. A party seeking to develop such a property negotiates with the Division's Site Investigation and Restoration Section (SIRS) for a Brownfields Development Agreement (BDA) or a Brownfields Voluntary Cleanup Program (VCP) Agreement to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. For site-specific information on the following sites, please see SIRS's superfund site files database at: <http://docs.dnrec.delaware.gov/sirbsitefiles.cfm>.

PROPOSED PLAN OF REMEDIAL ACTION FOR THE M&N PROPERTY SITE

DE-1496 - The Site Investigation and Restoration Section (SIRS) invites public comment on a proposal to clean up the M&N Property site in Wilmington. The 1.24 acre site is a property that is used for automobile and boat storage that contains historic contaminated fill material. The site does not pose an unacceptable risk for light industrial/commercial redevelopment. An Environmental Covenant will be placed on the property deed to limit its future use to light industrial/commercial. The covenant will also prohibit groundwater use for drinking water purposes, and prohibit land disturbing activities without approval from the Department. The comment period ends on August 1, 2011. For additional information, please contact John G. Cargill or Robert Newsome at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1160&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE HARRY WOOD

LANDFILL (OU-1) DE-1493 - The Site Investigation and Restoration Section (SIRS) invites public comment on a proposal to clean up the Harry Wood Landfill Operable Unit 1 (OU-1) site in New Castle. The 13.91 acre site is a wooded to open lot that is adjacent to a former landfill used by several local chemical plants. OU-1 was not used as a dump but is part of the same parcel as the landfill. The site does not pose an unacceptable risk for the proposed church facility (residential) redevelopment. Coordination with the Voluntary Cleanup Program work being performed adjacent to the redevelopment will occur. No other remedial actions will be required for the site. The comment period ends on August 2, 2011. For additional information, please contact Todd Keyser or Robert Newsome at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1159&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE FRANKLIN FIBER PARKING SITE (DE-1511)

The Site Investigation and Restoration Section (SIRS) negotiated a Brownfields Development Agreement (BDA) with Franklin Fibre-Lamitex Corporation regarding the Franklin Fiber Parking site located at 909 E. 14th Street in Wilmington. Known by New Castle County as tax parcel number 26-036.20-205, the 0.05 acre site may have had a release of hazardous substances as a result of past use as a railroad bed and its close proximity to the Wiley Cork Site (DE-0324) and the Diamond State Salvage Site (DE-0281). A Phase I Investigation on adjacent parcels indicated potential impacts from historic filling. For

more information, please contact Robert Asreen at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1145&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE CHRSYLER NEWARK ASSEMBLY PLANT SITE: OPERABLE UNIT-1 (DE-0105) AND OPERABLE UNIT-8 (DE-0105)

The Site Investigation and Restoration Section (SIRS) invites public comment on a proposal to address the Chrysler Newark Assembly Plant Site located in Newark. The site is currently owned by 1743 Holdings, LLC, a wholly-owned subsidiary of the University of Delaware and is the location of the University of Delaware's Science and Technology Campus. The site is the future location of light manufacturing/industrial development. Two proposed plans for operable units within the site, Operable Units 1 and 8, will be discussed at the community workshop: **OU-1** is approximately 13 acres in size. Soil and groundwater have been impacted from past site activities. **OU-8** is approximately 48 acres in size. Groundwater has been marginally impacted from past underground storage tank releases. **The Proposed Plans for both OU-1 and OU-8** require: 1. Recording of an environmental covenant on the property deed. The covenant will: a) prohibit the installation and use of groundwater wells for drinking water purposes without the prior written approval of DNREC and, b) identify the Site as located within a Groundwater Management Zone. 2. Development and implementation of a DNREC-approved Long Term Stewardship (LTS) Plan. **In addition, the Proposed Plan for OU-1 requires restricting the property to commercial/industrial use.** The SIRS will hold a community workshop on the Proposed Plan for OU-1 and OU-8 on Thursday, July 27, 2011 from 6:00 to 8:00 PM at the University of Delaware Newark Campus in Clayton Hall. The comment period ends on August 8, 2011. For additional information, please contact Lindsay Hall, Wendy March or Robert Newsome at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1165&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A> or

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1166&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE FORMER PERMAFLEX ROLLERS SITE (DE-1512)

The Site Investigation and Restoration Section (SIRS) is negotiating a Brownfields Development Agreement (BDA) with Shea Way, LLC regarding the Former Permaflex Rollers Site (Site) located at 375 Bellevue Road in Newark. Known by New Castle County as tax parcel number 18-047.00-06, the 1.66 acre Site may have had a release of hazardous substances as a result of past use as a drum storage facility. For additional information, please contact Krystal Stanley at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1155&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE FORMER COMMONS BOULEVARD SUNOCO SITE (DE-1514)

The Site Investigation and Restoration Section (SIRS) is negotiating a Brownfields Development Agreement (BDA) with 7 Commons LLC regarding the Former Commons Boulevard Sunoco Site (Site) located at 7 East Commons Boulevard Road in New Castle. Known by New Castle County as tax parcel number 10-013.00-019, the 2.57 acre Site may have had a release of hazardous substances as a result of past use including use as a gas station. For additional information, please contact Stephanie Scholl at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1154&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. To submit comments, for additional information or for an appointment to inspect the application, please contact Penny Gentry at the Dover Office at (302) 739-9402.

FEDERALLY ENFORCEABLE 7 DE ADMIN. CODE 1102 APPLICATIONS – Notice is hereby given that the following have filed an application:

Mountaire Farms of Delaware, Inc., having a facility at 29106 John J. Williams Highway, Millsboro, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit for one natural gas boiler. Permitted emissions are 1.43 TPY PM₁₀, 0.24 TPY SO_x, 4.99 TPY NO_x, 5.21 TPY CO and 0.57 TPY VOC. Operating hours for the boiler have been restricted to 8,736 hours/year to comply with Minor New Source Review for NO_x. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit AQM-005/00004(R2) via an Administrative Amendment. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application by July 19, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1130&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

Mountaire Farms of Delaware, Inc., having a facility at 29106 John J. Williams Highway, Millsboro has requested a federally enforceable 7 DE Admin. Code 1102 construction permit for two thermal oxidizers and four scrubbers for a Resource Recovery plant that will produce finished fats, feed grade meal, and pet food meal. The permit will increase emissions by 5.97 TPY PM₁₀, 5.99 TPY PM, 0.011 TPY H₂S, 0.08 TPY NH₃, 0.003 TPY SO_x, 9.98 TPY NO_x, 0.033 TPY CO, and 0.121 TPY VOC. The Company has taken restrictions in natural gas consumption to comply with 7 DE Admin. Code 1125, Minor New Source Review for NO_x. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction Permits: APC-2011/0080-0085-CONSTRUCTION (FE) into the facility's existing Title V permit AQM-005/00004 (Renewal 2) via an Administrative Amendment. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing by July 26, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1139&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

7 DE ADMIN. CODE 1102 NATURAL MINOR PERMIT APPLICATION – Notice is hereby given that the following have filed an application:

CIGNA, requests a construction permit to construct a 2206 hp emergency generator at their 300 Bellevue Parkway in Wilmington facility. The emergency generator has the potential to emit (PTE) Particulate Matter (PM) = 0.05 ton/year, Sulfur Oxide (SO_x) = 0.67 ton/year, Nitrogen Oxides (NO_x) = 4.40 tons/year, and Carbon Monoxide

(CO) = 0.59 ton/year. By Permit: APC-2011/0157 actual emissions will not exceed Particulate Matter (PM) = 0.05 ton/year, Sulfur Oxide (SOX) = 0.67 ton/year, Nitrogen Oxides (NOX) = 4.40 tons/year, and Carbon Monoxide (CO) = 0.59 ton/year. A public hearing on any of the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application by July 25, 2011. For additional information, please visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1156&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Dover Air Force Base requests a Construction Permit to construct a new paint booth for Aerospace Ground Equipment (AGE) to be located at Facility 779, Dover Air Force Base, Route 113 and Route 10, Dover. The paint booth has the potential to emit 14.4 tons of volatile organic compounds per year, 7.6 tons of hazardous air pollutants per year and 40 tons of particulate matter per year. By Permit #APC-2011/0013-CONSTRUCTION, actual emissions will not exceed 0.67 tons of volatile organic compounds per year, 0.23 tons of hazardous air pollutants per year and 0.02 tons of particulate matter per year. A public hearing on of the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application by July 25, 2011. For additional information, please visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1153&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

George & Lynch, Inc. requests a temporary construction/operation permit to install and operate an Elastizell Batch Plant for the production of up to 8,200 cubic yards of lightweight foamed concrete for a construction project at the Indian River Bridge located at 850 Inlet Road, Rehoboth. The project is expected to last approximately seven weeks. The concrete plant has the potential to emit (PTE) 2.8 tons of particulate matter, 1.2 tons of PM10, and products of combustion from associated engines. By Permit APC-2012/0002-CONSTRUCTION/OPERATION actual emissions will not exceed 0.21 lb/hr and 0.0068 tpy of particulate matter and 0.11 lb/hr and 0.0035 tpy of PM10. A public hearing on any of the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing by August 1, 2011. For additional information, please visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1163&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

TITLE V PERMIT RENEWAL APPLICATIONS – Notice is hereby given that DuPont Experimental Station having a facility at Route 141 and Henry Clay, Wilmington, has submitted a request for permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 Permit: AQM-003/00011-Renewal-1. Based on the data and certifications contained in the application, the Division of Air Quality (DAQ) concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and DNREC. Therefore a “draft/proposed” permit renewal-2 has been prepared. This “draft/proposed” permit renewal-2, incorporates all the changes of the applicable requirements. The “draft/proposed” permit renewal is being submitted to EPA for concurrent processing. If there are no significant comments, the “draft/proposed” permit renewal will be issued as a final permit after expiration of the EPA review period. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request for such hearing by August 3, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1147&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS – Notice is hereby given that the following have filed applications:

Notice is hereby given that Prince Minerals, Inc. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 to reduce particulate matter potential emissions in Auxiliary Raymond Unit (EU07) and Sand Chrome Dryer Unit at 301 Pigeon Point Road, New Castle. Prince Minerals, Inc. requests a limit for reduction in particulate matter (PM10) emission levels. The limits are necessary to restrict Prince Minerals, Inc. potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total emissions from the facility are to be limited as follows: Plant-wide particulate matter (PM10) exhaust emission levels of non-hazardous air pollutants (non-HAPs) and hazardous air pollutants (HAPs) shall not exceed 16.1 tons per year (TPY) and 1.8 TPY, respectively. Plant-wide fugitive PM10 emission levels of non-HAPs and HAPs shall not exceed 11.4 TPY and 7.0 TPY, respectively. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request for a hearing by July 26, 2011. For additional information, please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1137&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

River Asphalt II, LLC has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for the installation of a natural gas delivery system at 36393 Sussex Highway, Delmar. The facility will utilize natural gas along with their currently permitted fuels No. 2 fuel oil and on-spec used oil. No increase in emissions will occur. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request for such hearing by August 3, 2011. For additional information, please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1146&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

WATER PERMITTING PROGRAM - The Division of Water monitors, manages and protects Delaware's ground and surface waters, tidal wetlands and underwater lands. The Division is a link to the Delaware Estuary Program, Inland Bays Estuary Program and the Delaware River Basin Commission, and provides centralized computer and geographic information system services. The Division also provides public education and outreach programs. Applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received within 20 days of the initial notice.

SUBAQUEOUS LANDS PERMIT APPLICATIONS – The following have submitted applications:

Beth Smith (Tax Parcel # 2-35-22-95.00) - To install 225 linear feet of stone rip-rap in Red Mill Pond at 30497 East Mill Run, Milton.

Delmarva Power & Light Company (TM 20-003.00-084) - To construct 50 linear feet of bank stabilization using hardwood logs, native vegetative

plantings and stone rip-rap along the Christina River at their property west of Newport Gap Pike (Route 141), Newport.

Herbert Shupard, JR. (Tax Parcel # 2-34-18.00-377.00) - To construct a 4 by 120 foot pier, a 6 by 30 foot dock, 2 personal watercraft lifts, a boatlift with 2 pilings, 20 feet of stone sill and a 62 foot stone revetment in Herring Creek at Lot 44 Sundance Lane, Villages at Herring Creek, Lewes.

John Burton (Tax Parcel # 2-34-12.00-79.00) - To install 125 linear feet of stone rip-rap and 10 cubic yards of fill in the Rehoboth Bay at 22892 Waterfront Lane, Lewes.

Fenwick Island Yacht Club (No Parcel- Formerly Seal Island 134-23.00-1.00) - To construct a 4 by 30 foot pier, a 3 by 20 foot pier a 2.5 by 12 foot pier and a 3 by 68 foot extension encircling an existing 8 by 20 foot platform, in the middle of the Assawoman Bay, over the former Seal Island, north of Schultz Road, near Fenwick Island.

E.I. DuPont de Nemours (0615300006) - To stabilize 540 linear feet of shoreline by excavating 1250 cubic yards of material, disposing of the material on the adjacent shoreline, installing a gabion wall and placing 1,100 cubic yards of rip-rap in the Delaware River at the Edgemoor facility on 104 Hay road, Edgemoor.

Marc Wallace (334-13.16-22.00) - To install 75 linear feet of stone riprap bank stabilization in the Lewes and Rehoboth Canal at 105 Tidewater Road, Henlopen Acres, Rehoboth Beach.

Bethany Bay HOA (134-8.00-42.00) - To maintenance dredge to a depth of 2 feet below mean low water, dredging 167 cubic yards of material from a lagoon adjacent to White Creek east of Pavilion Drive, and to dispose of the material in the lagoon and create wetlands by planting with native vegetation, at Bethany Bay.

Delmarva Power (linear project) - To temporarily place matting in Blackwater Creek, Meadow Creek, Gaines Branch, Moris Branch, James Branch, Ward Branch, Racoon Creek, Thompson Branch, Saunders Branch, Cowhouse Branch, the Pocomoke River, Houston Thorogood Ditch, Wharton's Branch, and/or their tributaries during utility pole upgrades being undertaken as part of the Mid-Atlantic Power Pathway project between the Maryland/Delaware line and the Indian River Substation crossing through a proposed Converter east of Mission on Revel Road

Delmarva Power (linear project) - To temporarily place matting in Marshyhope Creek, Prospect Branch, an unnamed agricultural ditch and Bright Haines Glade Branch during utility pole upgrades between the Harrington Substation and the Vernon Substation near Anthony's Corner south of Whiteleysburg Road

Delmarva Power (linear project) - To temporarily place matting in tributaries to Tantrough Branch, Johnson Branch and Herring Branch during utility pole upgrades between the South Harrington Substation and the Milford Substation south of Williamsville and north of Lincoln.

Bill Nussbaum and Tom O'Hara (3-34-8.17-128.00 & 3-34-8.17-127.01) - To replace an existing shared 6 by 30 foot pier and 10 by 20 foot dock with a 6 foot by 10 foot pier, a 10 by 20 foot dock, a 4 by 20 foot gangway and a 6 by 24 foot floating pier in the North Shores Yacht Basin, Rehoboth Beach.

Harry and Jackie Fowler (Tax Parcel #2-34-17.00-72.00) - To install 2 personal watercraft lifts on an existing pier in Herring Creek at 24262 Canal Drive, Millsboro.

Land-Lock LLC (Tax Parcel #1-34-12.00-170.00) - To maintain a 4 by 14 foot pier and a 6 by 12 foot dock in White's Creek at the end of Hickman Drive off of Clubhouse Road, Millville.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by July 26, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1150&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Timothy Goddu (Tax Parcel #3-34-5.00-350.00) - To replace 134 linear feet of bulkhead and to construct a 5 by 18 foot dock in Red Mill Pond at lot 75 Edgewater Estates, Milton.

Division of Watershed Stewardship (Tax Parcels: 0803930206, 101, 105, 100, 099, 102) – To modify 600 linear feet of stream channel by re-grading, realigning and using 12 cubic yards of stone riprap in Ham Run, a tributary of Red Clay Creek, west of Duncan Road and north of Greenbank Road, Wilmington.

Mark and Kathleen Murphy (Tax Parcel No. 07-001.00-003) – To stabilize 130 linear feet of a tributary to Burrows Run by using stone boulders, grade controls and native vegetation at 401 Burnt Mill Road, Wilmington.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by August 17, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1168&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

SUBAQUEOUS LANDS PERMIT AND WATER QUALITY CERTIFICATION -

The following have submitted applications:

Delmarva Power (linear project) - To place 8 utility poles, permanently impacting 15.76 square feet and temporarily impacting 37,503 square feet of State-regulated wetlands, and temporarily place matting in tributaries to Little Mill Creek during utility pole upgrades between the Edgemoor substation east of Christina Avenue and the General Motors Facility between Dodson Avenue and Centerville Road north of Boxwood Road, Wilmington. A public hearing on the application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by July 26, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1150&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Lewes Harbor Marina, Inc. (Tax Parcel No. 3-35-8.08-151.00) – To dredge to a depth of 6 feet below mean low water, dredging 5,885 cubic yards of material from the Lewes and Rehoboth Canal at Anglers Road,

and to dispose of the material at the Corps of Engineers disposal site north of the Canal, in Lewes.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by August 17, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1168&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

WETLANDS APPLICATION - The following have submitted applications:

Delaware Division of Parks and Recreation (334-18.00-171.00, 334-18.00-172.00) - To upgrade an existing trail system by constructing a 6 by 130 foot walkway crossing State-regulated wetlands and a tidal gut, south west of Holly Ridge road on Thompson Island Preserve, east of the Lewes and Rehoboth Canal, Rehoboth Beach.

Delmarva Power (linear project) - To place 4 utility poles, permanently impacting 19.6 square feet, and temporarily impacting 37,342 square feet, of State-regulated wetlands at the Indian River Inlet west of coastal highway, at Inlet Road and Frances Wood Road.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by July 26, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1150&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

SUBAQUEOUS LANDS PERMIT, WETLANDS AND WATER QUALITY APPLICATIONS – The following have submitted applications:

U.S. Army Corps of Engineers - To maintenance dredge 111,000 cubic yards of sand from sandy areas within Roosevelt Inlet and Borrow Area A and place it on Lewes Beach starting 100 feet from the Roosevelt Inlet terminal and running 1,400 linear feet along Lewes Beach, terminating halfway between Iowa and Missouri Avenues. Periodic nourishment of up to 132,000 cubic yards of material every 6 years is requested for nourishment of Lewes Beach.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by August 17, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1168&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

EMPLOYEE UPDATE:

Effective July 1, 2011, Nancy Marker from the Solid Hazardous Waste Management Section (SHWMS) was reclassified from a Program Manager II to an Environmental Program Administrator.

Effective July 5, 2011, Chuck McNally was hired as a seasonal Wetlands Scientist to help with Wetlands permits.

CONTACT INFORMATION:

24-Hour Report and Spill Notification Line - 1-800-662-8802
Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-744-2735
Brownfields - 302-395-2600
Delaware Estuary Program - 302-739-9949
Division of Air Quality Director's office - 302-739-9402
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Director's Office - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands – 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Hazardous Waste - 302-739-9403
Loans & Grants for Wastewater and Septics (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2515
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) State-wide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302- 739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank
Compliance Program - 302-856-4561
Site Investigation & Restoration Branch (Superfund/Brownfields) - 302-395-2600
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Stormwater Permits - 302-739-9946
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits – 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944